



Digital Signage professional av mounts



From point-of-sale touchscreens to complex video walls, Chief has a broad range of mounting solutions to support digital signage in any environment. Our products are engineered for strength with industry-first features that simplify installation and maintenance.

Are you a Chief Certified Partner?

Register at www.chiefmfg.com/certification

www.chiefmfg.com



DIGITAL SIGNAGE DISPLAY MOUNTING SOLUTIONS

INTEGRATED *ENGAGING* EFFECTIVE



Digital Signage Solutions

Chief mounts and accessories provide the flexibility needed to ensure ideal display placement and maximize the impact of digital content. Installer-inspired features and helpful online apps make it easy to specify, install and maintain even the most complex digital signage applications.

SUPPORT TOOLS

Multi-Display Calculator

- Easily configure video wall and menu boards with our convenient Multi-Display Calculator. Simply enter the required specifications to get a list of the best Chief solution for your installation. Results include all mounts and accessories necessary to achieve the desired configuration. Find it online at www.chiefmfg.com/fusioncalc.

MountBuilder

- Visually build and specify your next installation using MountBuilder, Chief's professional online product configurator. MountBuilder auto-calculates weight capacity and drop-distance, generates a parts list and allows you to save and share configurations via PDF. Build your mount online at www.chiefmfg.com/mountbuilder.


Certified Partner Program

- Chief's online training program provides in-depth product information tailored to the industry's largest, and fastest-growing market segments. In addition to earning InfoComm RUs and CEDIA CEUs, you can now earn credits from the Digital Signage Experts Group, providing you with another avenue to differentiate your business. Get certified at certification.chiefmfg.com.



FUSION® VIDEO WALL SOLUTIONS

Chief's Fusion Series Pull-Out mounts extend 7" (178 mm) for easy cable access and servicing in hard-to-reach installations – even on the centermost screen of a video wall.


Available in landscape and portrait orientations.





SPECIFICATIONS

Model	TV Size	Extension Range	Plumb Adjust	Centerless Lateral Shift*	Weight Capacity
Pull-Out Mounts with ControlZone - Landscape 					
MSMVU	26–47"	3.7 - 10.7" (94 - 272 mm)	2°	14.5" (368 mm)	125 lbs (56.7 kg)
LSMVU	37–63"	3.7 - 10.7" (94 - 272 mm)	2°	17.5" (445 mm)	150 lbs (68 kg)
Pull-Out Mounts with ControlZone - Portrait 					
MSMVPU	26–47"	3.7 - 10.7" (94 - 272 mm)	2.5°	4.63" (117 mm)	125 lbs (56.7 kg)
LSMVPU	37–63"	3.7 - 10.7" (94 - 272 mm)	2.5°	5.63" (143 mm)	150 lbs (68 kg)

FUSION® FLAT PANEL FIXED, TILT AND PORTRAIT MOUNTS



SPECIFICATIONS

Model	TV Size	Depth from Wall	Centerless Lateral Shift*	Centris Low-Profile Tilt	Weight Capacity (single stud, dual stud)
Fixed and Tilt mounts with ControlZone** - Landscape 					
MSMU	26–47"	1.96" (50 mm)	14.5" (368 mm)	-	75 lbs (34 kg)
MTMU	26 - 47"	1.96" (50 mm)	14.5" (368 mm)	0-12°	125 lbs (56.7 kg)
LSMU	37 - 63"	1.96" (50 mm)	17.5" (445 mm)	-	200 lbs (90.7 kg)
LTMU	37 - 63"	1.99" (51 mm)	17.5" (445 mm)	0-12°	200 lbs (90.7 kg)
XSMU	55 - 75"	1.96" (50 mm)	23.5" (597 mm)	-	250 lbs (113 kg)
XTMU	55 - 75"	1.99" (51mm)	23.5" (597 mm)	0-12°	250 lbs (113 kg)
Portrait Tilt Mounts 					
MTAPU	26 - 47"	2.5" (61 mm)	8.5" (216 mm)	+3°/-10°	125 lbs (56.7 kg)
LTAPU	37 - 63"	2.56" (65 mm)	11.5" (292 mm)	+3°/-10.5°	200 lbs (90.7 kg)

*Maximum lateral shift shown. Range varies with screen mounting pattern and stud placement.

**Also available without ControlZone. Visit www.chiefmfg.com/fusion/ for additional Fusion models.

CUSTOMIZE YOUR INSTALL

A full line of supporting accessories can be integrated with FUSION Fixed & Tilt Wall Mounts, extending the same adjustment benefits to the entire configuration. Mix and match accessories with any FUSION mount for the perfect installation in every application.

- Compatible with most FUSION mounts
- Can be used together for a complete customized system
- Connects to the rail of the mount without adding depth
- Accessory adjustment ranges accommodates medium to extra large TV sizes



FCA101

Pole and screen lock-down collars



FCA102

CAT 5/ Surge/CPU Adapters




FCK000/FCK008/ FCK016

0", 8" and 16" Connector Kits

FUSION® MENU BOARD CONNECTOR KITS

Inspired by installers, Chief's Fusion Series mounts include a variety of features and accessories to make installation and maintenance of menu boards a breeze. **Available in landscape and portrait orientations.**



Video Wall and Menu Board App

Calculate the mounts and connector kits needed for your next multi-screen installation!

www.chiefmfg.com/fusioncalc



DIGITAL SIGNAGE

DISPLAY MOUNTING SOLUTIONS

SWING ARM, POLE AND CEILING MOUNTS




TS525TU



PDR



K1P100



JHS



MCS

SPECIFICATIONS

Model	TV Size	Extension	Centerless Lateral Shift*	Centris Low-Profile Tilt	Weight Capacity
Swing Arm Mounts					
TS525TU	37 - 58"	25" (635 mm)	16" (406 mm)	-15°	125 lbs (56.7 kg)
TS318TU	26 - 52"	25" (635 mm)	16" (406 mm)	-15°	75 lbs (34 kg)
PDR	42 - 71"	37" (939.8mm)	9" (228.6mm)	+5° - 15°	200 lbs (90.7 kg)
Pole Mounts					
K1P100	10 - 30"	19.12" (485.6 mm)	—	+75°/-10°	5 - 25 lbs (2.3 - 11.3 kg)
K1P200	10 - 30"	19" (482.6 mm)	—	+75°/-10°	5 - 25 lbs (2.3 - 11.3 kg)
Ceiling Mounts					
JHS	26 - 45"	—	—	+/-15°	75 lbs (34 kg)
MCS/MCD	37 - 63"	—	—	+5°/-20°	125 lbs (56.7 kg)
PCS/PDC	42 - 71"	—	—	+5°/-20°	200 lbs (90.7 kg)

Accessories



PAC260W
Digital Media
Player Wall Mount



PAC102
Component
Pole Shelf



PAC260P
Digital Media
Player Pole Mount



PAC260D
Digital Media
Player Mount
Direct-to-Display



*Maximum lateral shift shown. Range varies with screen mounting pattern and stud placement.

PROJECTOR MOUNTS



RPM



RPM

SPECIFICATIONS

Model	Roll	Pitch	Yaw	Weight Capacity
-------	------	-------	-----	-----------------

Ceiling Projector Mounts

RPM	3°	20°	360°	50 lbs (22.7 kg)
RSM	37 - 63"	—	—	125 lbs (56.7 kg)

Accessories



Extension
Columns



Structural
Adapters &
Ceiling Plates



Security



Power

CARTS AND STANDS



STS1



PF1



PF2



PFC

SPECIFICATIONS

Model	TV Size	Center of Display to Floor/Table	Manual Height Adjustment	Centris Low-Profile Tilt	Weight Capacity
-------	---------	-------------------------------------	-----------------------------	-----------------------------	-----------------

Carts and Stands

PF1/2	42 - 71"	51.4 - 85.4" (130.5 - 217 cm)	34" (863.6 mm)	+/-15°	200 lbs (90.7 kg)
PFC	42 - 71"	48 - 72" (122 - 183 cm)	24" (609.6 mm)	+/-15°	200 lbs (90.7 kg)
STS1	18 - 30"	—	5.1" (130 mm)	—	30 lbs (13.6 kg)

Accessories



PAC251
CAT 5/Surge/CPU
Adapters



PAC720
P-Series Dual Vertical
Display Accessory



PAC717
Literature Shelf



PAC780
Height Assist
Accessory 50-75 lbs

CHIEF

■ A DIVISION OF MILESTONE AV TECHNOLOGIES ■ www.chiefmfg.com
 USA ■ P 800.582.6480 / +1.952.894.6280 ■ F 877.894.6918 / +1.952.894.6918 ■ chief@chiefmfg.com
 Canada ■ P 877.345.4329 ■ F 888.377.5314 ■ info@chiefmounts.ca
 EMEA ■ P +31 40 23 24 700 ■ F +31 40 23 24 710 ■ europe.chief@milestone.com
 Asia Pacific ■ P +852 2145 4099 ■ F +852 2145 4477 ■ asia.chief@milestone.com